

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	224	(@ad<"20031126" OR @rlad<"20031126") AND (dpof OR "Digital Print Order format")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 13:36
S66	20	(@ad<"20031126" OR @rlad<"20031126") AND (348/207.1).CCLS. AND @pd>"20070516"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 14:45
S71	0	(@ad<"20031126" OR @rlad<"20031126") AND dpof AND (protocol NEAR5 incompatib\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:07
S70	5	(@ad<"20031126" OR @rlad<"20031126") AND dpof AND (protocol NEAR5 compatib\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:07
S69	5	(@ad<"20031126" OR @rlad<"20031126") AND (dpof SAME compatib\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:07
S74	31	S67 AND (incompatib\$5 OR uncompatib\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:08
S73	31	S67 AND incompatib\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:08
S68	88	S67 AND compatib\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:08
S72	0	(@ad<"20031126" OR @rlad<"20031126") AND (dpof SAME incompatib\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:10

## EAST Search History

S75	278	(@ad<"20031126" OR @rlad<"20031126") AND print\$3 AND ((\$2compatib\$5 NEAR5 protocol) SAME file)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/31 16:17
S77	7	("4839798"   "4918595"   "5031089"   "5257372"   "5313614"   "5345396"   "5392430").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/31 16:48
S78	6	("5592654").URPN.	USPAT	OR	ON	2007/10/31 16:49
S76	191	(@ad<"20031126" OR @rlad<"20031126") AND (print\$3 SAME (\$2compatib\$5 NEAR5 protocol)) AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 10:19
S79	1453	(@ad<"20031126" OR @rlad<"20031126") AND (print\$3 NEAR7 ((instruction OR description OR describ\$3) NEAR3 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 10:20
S81	161	(@ad<"20031126" OR @rlad<"20031126") AND (print\$3 NEAR5 ((instruction OR description OR describ\$3) NEAR3 file)) AND (print\$3 NEAR6 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 10:31
S83	1	("6985242").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/11/01 11:00
S85	411	S84 AND print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 12:23
S86	13	(@ad<"20031126" OR @rlad<"20031126") AND ((pdl NEAR9 pcl) SAME (capable OR capatib\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 12:25
S84	424	(@ad<"20031126" OR @rlad<"20031126") AND (pdl NEAR9 pcl)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 12:25
S87	49	(@ad<"20031126" OR @rlad<"20031126") AND (pcl NEAR9 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 12:29

## EAST Search History

S82	85	(@ad<"20031126" OR @rlad<"20031126") AND (pdl NEAR9 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 12:29
S88	1	("5892534").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/11/01 14:40
S67	269	(@ad<"20031126" OR @rlad<"20031126") AND (348/207.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/01 14:40
S80	1302	(@ad<"20031126" OR @rlad<"20031126") AND (print\$3 NEAR5 ((instruction OR description OR describ\$3) NEAR3 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:03
S89	8266	(@ad<"20031126" OR @rlad<"20031126") AND (710/11 OR 358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:05
S91	1282	(print\$3 AND driver).TI.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:14
S52	1	("6937356").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/11/02 10:14
S90	149	(@ad<"20021129" OR @rlad<"20021129") AND (710/11).CCLS. AND print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:16
S93	914	S92 AND file	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:17

## EAST Search History

S96	70	S92 AND (compatib\$5 SAME file)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:47
S95	16	S92 AND (compatib\$5 NEAR7 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 10:47
S97	7	("4982344"   "5153936"   "5159669"   "5204947"   "5353388"   "5500929"   "5615325").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/02 12:27
S98	265	S94 NOT S96	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 12:28
S99	1	("5937144").URPN.	USPAT	OR	ON	2007/11/02 12:29
S94	335	S92 AND compatib\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 12:31
S10 1	47	S92 AND (capab\$5 SAME protocol) NOT S98 NOT S96	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 12:32
S10 0	930	S92 AND capab\$5 NOT S98 NOT S96	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 13:18
S10 3	2	((("20060139679") or ("20030081235")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/11/02 16:43
S10 2	335	S92 AND protocol NOT S98 NOT S96	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/02 16:43
S92	1638	(@ad<"20021129" OR @rlad<"20021129") AND (358/1.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 12:35

## EAST Search History

L2	4	(@ad<"20021129" OR @rlad<"20021129") AND (348/207.99-376).CCLS. AND (dpof NEAR5 transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 12:38
L4	16	(@ad<"20021129" OR @rlad<"20021129") AND (348/207.99-376).CCLS. AND (dpof NEAR5 printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 12:40
L3	50	(@ad<"20021129" OR @rlad<"20021129") AND (348/207.99-376).CCLS. AND (dpof NEAR5 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/05 12:40